

**NC Department of Insurance
Office of the State Fire Marshal - Engineering Division
1202 Mail Service Center, Raleigh, NC 27699-1202
919-647-0000**

Optional Permits

Code: 2018 Fire Prevention Code
Section: 105.1.2

Date: January 1, 2019

Question:

If a jurisdiction does not adopt a permit provision in Section 105.1.2 identified as “Optional”, does that mean the code is exempted for that provision?

Answer:

No. An optional permit simply allows the jurisdiction to require the application of the permit, it does not exempt a portion of the Fire Prevention Code to be followed. A jurisdiction that creates an ordinance to require an “optional” permit establishes a way to inform the Authority Having Jurisdiction. A permit may trigger the necessity for separation of hazards, the establishment of a safety plan or an evacuation plan that may have been otherwise overlooked.

For example, Item #3 of Section 105.6.17 contains a provision for an optional permit to store, handle or use more than 60 gallons of a Class II or Class IIIA liquid outside of a building. If a jurisdiction has not adopted this provision, the owner/designer is simply not required to apply for a permit from the jurisdiction when more than 60 gallons of Class II or Class IIIA liquid is stored on the property. The owner/designer is still obligated to comply with the minimum safety guidelines provided within the Fire Prevention Code.

Keywords:

Plans, code exemption